

EXTERIOR SUBSTRATES

METAL - FERROUS

SUPERIOR QUALITY		<u>MPI Approved</u>	<u>Meets MPI GPS</u>	<u>Recommended DFT/Coat</u>	<u>Theoretical Sq. Ft./Gal./Coat</u>
Primer	05-550 <i>Industrial</i> Universal H ₂ O Metal Primer	107,134	✓	1.9-2.3	300
	- OR - 07-450/455 <i>Industrial</i> Universal Metal Primer			2.0-2.5	400
Semi-Gloss Finish	05-502 <i>Industrial</i> Acrylic DTM Polyurethane Enamel	11		1.6-2.0	320
	- OR - 04-402 <i>Industrial</i> Polyurethane Enamel	47,94		1.9-2.3	360
Gloss Finish	07-588 <i>Industrial</i> Silicone Alkyd DTM Enamel			2.7-3.3	360
	- OR - 04-400 <i>Industrial</i> Polyurethane Enamel	9,48,96		1.8-2.2	360
PREMIUM QUALITY		<u>MPI Approved</u>	<u>Meets MPI GPS</u>	<u>Recommended DFT/Coat</u>	<u>Theoretical Sq. Ft./Gal./Coat</u>
Primer	05-550 <i>Industrial</i> Universal H ₂ O Metal Primer	107,134	✓	1.9-2.3	300
	- OR - 07-022/026 <i>Industrial</i> Brushable Metal Primer – Red/White			23,79	1.85-2.4
Flat Finish	01-100 <i>Masterpiece</i> Int/Ext 100% Acrylic Flat	10		1.7-2.1	360
Velvet Finish	01-006 <i>Masterpiece Lifetime</i> Exterior Acrylic Latex Velvet	214	✓	2.5-2.9	250
	- OR - 01-002 <i>Masterpiece</i> Exterior 100% Acrylic Velvet			1.7-2.1	360
Semi-Gloss Finish	01-242 <i>Masterpiece</i> Exterior 100% Acrylic Semi-Gloss	11		1.4-1.7	360
	- OR - 07-662 <i>Premium Pro</i> Acry-Guard Enamel Semi-Gloss		1.8-2.4	400	
Gloss Finish	05-240 <i>Industrial</i> Armor-Guard Exterior 100% Acrylic			1.4-1.7	360
	- OR - 07-660 <i>Premium Pro</i> Acry-Guard Enamel Gloss			1.3-1.8	535
STANDARD QUALITY		<u>MPI Approved</u>	<u>Meets MPI GPS</u>	<u>Recommended DFT/Coat</u>	<u>Theoretical Sq. Ft./Gal./Coat</u>
Primer	05-550 <i>Industrial</i> Universal H ₂ O Metal Primer	107,134	✓	1.9-2.3	300
	- OR - 07-022/026 <i>Industrial</i> Brushable Metal Primer – Red/White			23,79	1.85-2.4
Flat Finish	01-235 <i>Premium Pro Plus</i> Exterior 100% Acrylic Latex Flat	10	✓	1.6-2.0	360
Eggshell Finish	01-224 <i>Premium Pro Plus</i> Exterior 100% Acrylic Latex Low Lustre	15	✓	1.5-1.9	360
SPECIAL PURPOSE		<u>MPI Approved</u>	<u>Meets MPI GPS</u>	<u>Recommended DFT/Coat</u>	<u>Theoretical Sq. Ft./Gal./Coat</u>
Primer	Any of the above.				
Flat Finish	05-338 <i>Hi-Performance</i> Polar-Kote Flat (for low temp application)			1.5-1.9	360
Satin Finish	05-337 <i>Hi-Performance</i> Polar-Kote Satin (for low temp application)			1.4-1.8	360

✓ = Listed Product Meets MPI Green Performance™ Standard

For product limitations, please refer to the product's Technical Data Sheet. Contact your Columbia Paint Representative for more details.